TECHNICAL SPECIFICATION 53CM WIDE VINYL WALLCOVERING

Product	Doodleedo Collection
Description	Rolls : Coated non woven fibre.
	Murals : Digitally printed on <i>(a)</i> Smooth lightweight non-woven fibre <i>(b)</i> DG refs coated non woven fibre with linen texture.
Weight	Rolls : Coated non woven 240 grammes per square metre
	Murals : (a) Smooth lightweight non-woven 155 grammes per square metre. (b) DG refs 230 grammes per square metre.
Roll Size	53cm x 10m
Mural size	280cm high. Either 250, 300 or 400cm wide. See notes below regarding repeats.
Fire Rating	Euroclass B when adhered to suitable substrate.
Adhesive	Tekfix 65
Hanging	Apply adhesive to wall surface. Butt join. Please see below for specific hanging guide per design.

STANDARD WALLCOVERING ROLLS 10m x 53cm				
220700 to 220103 220780 to 220783 220790 to 220794	220710 to 220753 220770 to 220772	220760 to 220762	220800 to 220816	
64cm V repeat Straight across match Do not reverse	64cm V repeat Half drop match Do not reverse	12.8cm V repeat Straight across match Do not reverse	Random match Reverse hang	

MURALS			
DINOLAND : 280cm high x 300cm wide 300437, 300438 DG suffix = printed on non woven fibre/linen texture Design can be repeated along any length wall	OCEAN FRIENDS : 280cm high x 300cm wide 300441 DG suffix = printed on non woven fibre / linen texture		
300cm / 6 panels design repeats 1 2 3 4 5 6 7 8 etc 1 1 2 3 4 5 6 7 8 etc 1 5 6 7 8 etc 1 5 6 7 8 etc 1 5 8 etc 1 5 8 etc 1 5	300cm / 6 panels		
Match up pattern. Straight hang.			





MaintenanceLight/medium weight non woven products offer an easy-clean finish and some
resistance to knocks and scrapes. They are best used in 'low-traffic' areas and will retain
their original appearance for 3 - 5 years, depending on area of use.

Always carry out a trial in an inconspicuous area first, to ensure cleaning agent is suitable. Clean with a mild non-soapy detergent with soft cloth or sponge. Do not use polishes, abrasive cleaning agents or strong cleaners as they will damage the surface. Always clean from skirting level upwards. Rinse thoroughly with clean water (avoid over wetting). Individual stains should be removed as quickly as possible. **Murals are wipeable.**

Health & Safety This product is classified as non-hazardous and therefore does not require any special handling. This product does not require special labelling.

Handling Storage	Store at ambient temperature away from heat source. Suitable lifting equipment may be required.
Fire Fighting	Any extinguishing media are suitable. Wear self contained breathing apparatus, protective clothing and full face mask. Fumes should be ventilated immediately due to possible liberation of noxious gases.
Ecological	This product is not bio-degradable. Dispose of in accordance with Local Authority Regulations or via an authorised contractor.

TEKTURA WALLCOVERINGS

TEKTURA PLC, Suite 1.03 Harbour Island, 34 Harbour Exchange Square, London E14 9GE Tel 020 7536 3300 Fax 020 7536 3322